



7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

## ПвЭоВ(к)-15 3х240 ТУ У 31.3-00214534-017-2003

Three-core power cables with copper conductors, with XLPE, collective screen and PVC compound outer sheath

Technical cable requirements correspond to IEC 60502-2

Cables are used for laying:

- in premises, tunnels, ducts, mines, dry soil and outdoor under shelter
- single laying

It is possible to manufacture cables with an integrated fiber-optic module. Order entry example:  $\Pi_B \Im_OB(\kappa)$ -15 3x240/70 (OM) TY Y 31.3-00214534-017-2003 In conjunction with the DTS system, the integrated fiber-optic module can act as a distributed cable line temperature sensor.

It is possible to manufacture cable with sealed conductors. Order entry example:  $\Pi B \Im OB(\kappa)$ -15 3x240/70 ( $\Gamma$ ) TY Y 31.3-00214534-017-2003

Fire safety code in accordance with ДСТУ 4809:2007: ПБ100000000

Products of this mark meet the requirements:

• single wire cable flame retardance

### **TECHNICAL SPECIFICATIONS**

| Rated voltage   | kV    | 15                   |
|---|-------|----------------------|
| Maximum voltage   | kV    | 17.5                 |
| Number and rated area of conductors                         | mm²   | 3 x 240              |
| Insulation thikness   | mm    | 4.5                  |
| Minimum screen cross-section                                | mm²   | 70                   |
| Permissible short circuit current across the screen of      | kA    | 14.2                 |
| minimum cross-section                                       |       |                      |
| Maximum permissible short-circuit current in core           | kA    | 34.3                 |
| Permissible continious current rating *                     |       |                      |
| • by aerial laying  | А     | 531                  |
| • by burial   | А     | 434                  |
| Partial discharge factor for rated voltage, not more than   | рС    | 6                    |
| Maximum permissible conductor temperature                   |       |                      |
| Continious  | °C    | +90                  |
| in emergency operation                                      | °C    | +130                 |
| at short circuit  | °C    | +250                 |
| Operating temperature range (in climate version NF)         | °C    | -50 +50              |
| Operating temperature range (in climate version T)          | °C    | -25 +65              |
| Minimum bending radius by laying                            | mm    | 1216                 |
| Rated outer diameter of the cable (for reference) **        | mm    | 76                   |
| Cable weight (approximate)                                  | kg/km | 11440                |
| Rated factory cable length and gross weight of the delivery | m, t  | # 22УД-60: 319 • 4.6 |
| on the drums ***  |       | # 25УД-90: 443 • 6.6 |
| Notes:  |       |                      |

Notes:

When ordering it is neccesary to agree the factory length of the product with the manufacturer

\* Long permissible current loads are calculated for the following conditions: conductor temperature 90 °C, air temperature 30 °C, soil temperature 20 °C, load factor 1.0, thermal resistivity of soil 1.5 °K • m/W, laying depth in the ground 0.8 m, shields are grounded at both ends of the line

\*\* The external diameter may differ from the rated up to  $\pm$  10 %

\*\*\* Отклонение фактической массы брутто от указанного значения может составлять ± 7 %






7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

# ПвЭоВ(к)-15 3х240 ТУ У 31.3-00214534-017-2003



Three-core power cables with copper conductors, with XLPE, collective screen and PVC compound outer sheath



### **CONSTRUCTION**

- 1. Copper multiwire compact conductor
- 2. Inner extruded semiconducting layer
- 3. XLPE insulation
- 4. Outer extruded semiconducting layer
- 5. Lapping layer of semiconductive swellable tape
- 6. Interstitial filler with polypropylene bundles
- 7. Lapping layer of semiconductive swellable tape
- 8. Copper screen
- 9. Lapping layer of synthetic paper
- 10. PVC compound outer sheath

Note: Conductor twisting is not illustrated

20 40 60