



7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

## АВВГнгд 1х4 (ож)-1 ТУ У 31.3-00214534-018-2003



Power cables with aluminium conductors, with low fire-risk PVC-compound insulation, with low fire-risk PVC-compound outer sheath

Cables are used for laying:

- in bunches
- in premises, dry ducts and tunnels, in corrosive environment
- · in bunches, in crowded places

Fire safety code in accordance with ДСТУ 4809:2007: ПБ123121000

Products of this mark meet the requirements:

- · single wire cable flame retardance
- bunched cable flame retardance category A
- toxicity class Tk3 of the combustion products of nonmetallic elements (toxicity index over 120 g/m<sup>3</sup>)

• class  $\[mu]T\kappa 1$  on smoke-forming ability by smouldering of non-metallic elements (coefficient of smoke formation from 50 to 500 m<sup>2</sup>/kg)

• class ДΠκ2 on smoke-forming ability by combustion (minimum luminous flux more than 60 %)

• corrosive class Kk1 of combustion products of non-metallic elements (the number of halogen hydrides less than 150 mg/g, pH less than 4.3, specific conductivity more than 10  $\mu$ S/mm)

## **TECHNICAL SPECIFICATIONS**

| Rated voltage  | kV    | 1       |
|--|-------|---------|
| Number and rated area of conductors                                  | mm²   | 1 x 4   |
| Phase insulation thikness  | mm    | 1       |
| Permissible continious current rating (AC of industrial frequency) * |       |         |
| • by aerial laying   | А     | 30      |
| • by burial  | А     | 39      |
| Permissible continious current rating (DC) *                         |       |         |
| • by aerial laying   | А     | 40      |
| • by burial  | А     | 41      |
| Maximum permissible conductor temperature                            |       |         |
| Continious   | °C    | +70     |
| in emergency operation   | °C    | +80     |
| at short circuit   | °C    | +130    |
| Operating temperature range  | °C    | -50 +50 |
| Minimum bending radius by laying                                     | mm    | 90      |
| Rated outer diameter of the cable (for reference) **                 | mm    | 9       |
| Cable weight (approximate)   | kg/km | 80      |
| Nataas   |       |         |

Notes:

When ordering it is neccesary to agree the factory length of the product with the manufacturer

\* Long permissible current loads are calculated for the following conditions: air temperature plus 25 °C, soil temperature plus 15 °C,

thermal resistivity of soil 1.2  $^{\circ}\!K^{\scriptscriptstyle\bullet}m/W$ , laying depth in the soil 0.7 m

\*\* The external diameter may differ from the rated up to  $\pm$  10 %






7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

## АВВГнгд 1х4 (ож)-1 ТУ У 31.3-00214534-018-2003



Power cables with aluminium conductors, with low fire-risk PVC-compound insulation, with low fire-risk PVC-compound outer sheath



## CONSTRUCTION

- 1. Aluminium conductor
- 2. Low fire-risk PVC compound insulation
- 3. Low fire-risk PVC compound outer sheath