



7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

# ВВГнгд 2х150-1 ТУ У 31.3-00214534-018-2003



Power cables with copper conductors, with low fire-risk PVC-compound insulation, with low fire-risk PVC-compound outer sheath

Cables are used for laying:

- in bunches
- in premises, dry ducts and tunnels, in corrosive environment
- in bunches, in crowded places

Manufacturing of cable with low fire-risk PVC compound inner sheath is possible

Fire safety code in accordance with ДСТУ 4809:2007: ΠБ123121000

Products of this mark meet the requirements:

- single wire cable flame retardance
- bunched cable flame retardance category A
- toxicity class Tk3 of the combustion products of nonmetallic elements (toxicity index over  $120 \text{ g/m}^3$ )

• class  $\[mu]T\kappa 1$  on smoke-forming ability by smouldering of non-metallic elements (coefficient of smoke formation from 50 to 500 m<sup>2</sup>/kg)

• class ДПк2 on smoke-forming ability by combustion (minimum luminous flux more than 60 %)

· corrosive class Kk1 of combustion products of non-metallic elements (the number of halogen hydrides less

than 150 mg/g, pH less than 4.3, specific conductivity more than 10  $\mu$ S/mm)

### **TECHNICAL SPECIFICATIONS**

Rated voltage	kV	1
Number and rated area of conductors	mm²	2 x 150
Phase insulation thikness	mm	1.8
Permissible continious current rating (AC of industrial frequency) '	*	
• by aerial laying	А	346
• by burial	А	358
Maximum permissible conductor temperature		
Continious	°C	+70
in emergency operation	°C	+80
at short circuit	°C	+130
Operating temperature range	°C	-50 +50
Minimum bending radius by laying	mm	255
Rated outer diameter of the cable (for reference) **	mm	34
Cable weight (approximate)	kg/km	3190
Rated factory cable length and gross weight of the delivery	m, t	# 14: 540 • 1.9
on the drums ***		# 16a: 870 • 3.0
		# 18: 1000 • 3.6

Notes:

When ordering it is neccesary to agree the factory length of the product with the manufacturer

\* Long permissible current loads are calculated for the following conditions: air temperature plus 25 °C, soil temperature plus 15 °C, thermal resistivity of soil 1.2 °K  $\cdot$  m/W, laying depth in the soil 0.7 m

\*\* The external diameter may differ from the rated up to  $\pm$  10 %






7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

## ВВГнгд 2х150-1 ТУ У 31.3-00214534-018-2003

Power cables with copper conductors, with low fire-risk PVC-compound insulation, with low fire-risk PVC-compound outer sheath



## CONSTRUCTION

- 1. Copper multiwire compact conductor
- 2. Low fire-risk PVC compound insulation
- 3. PET film winding
- 4. Low fire-risk PVC compound outer sheath

Note: Conductor twisting is not illustrated