





7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

# КВБбШв 7х4 ТУ У 27.3-00214534-103:2018

Control cables with copper conductors, galvanized double steel-tape armoured, with PVC compound insulation, PVC compound protection hose

Cables are used for laying:

- · in premises, dry ducts and tunnels, in corrosive environment
- single laying
- · in places, where small mechanical impacts on cable are possible, including tensile forces

Manufacturing of cable with polyethylene inner sheath is possible

Manufacturing of non-galvanized armoured cable, covered with a layer of bitumen and PET film is possible

Fire safety code in accordance with ДСТУ 4809:2007: ΠБ100000000

Products of this mark meet the requirements:

· single wire cable flame retardance

## **TECHNICAL SPECIFICATIONS**

| Rated voltage (AC / DC)                                     | V     | 660 / 1000      |
|---|-------|-----------------|
| Number and rated area of conductors                         | mm²   | 7 x 4           |
| Minimum bending radius by laying                            | mm    | 190             |
| Cable outer diameter (for reference only) **                | mm    | 19              |
| Cable weight (approximate)                                  | kg/km | 710             |
| Rated factory cable length and gross weight of the delivery | m, t  | # 12: 910 • 0.8 |
| on the drums ***  |       |                 |

### Notes:

When ordering it is necessary to agree the factory length of the product with the manufacturer

# 

## CONSTRUCTION

- 1. Copper conductor
- 2. PVC compound insulation
- 3. PET film winding
- 4. PVC compound belt insulation

Note: Manufacturing of cable with polyethylene inner sheath is possible

# 5. Double galvanized steel-tape armour

Note: Manufacturing of non-galvanized armoured cable, covered with a layer of bitumen and PET film is possible

6. Pressed PVC compound protection hose

Note: Conductor twisting is not illustrated

<sup>\*\*</sup> The external diameter may differ from the rated up to  $\pm$  10 %