



7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

# ВКбШв 4x6-0.66 ТУ У 31.3-00214534-057:2007



Power cables with copper conductors, with PVC-compound insulation, galvanized steel-wire armoured, with PVC-compound protection hose

Cables are used for laying:

- single laying
- · in premises, dry ducts and tunnels, in corrosive environment
- in places, where small mechanical impacts on cable are possible, including tensile forces

It is possible manufacturing of cables in cold-resistant performance (ВКбШв-ХЛ)

Fire safety code in accordance with ДСТУ 4809:2007: ПБ10000000

Products of this mark meet the requirements:

single wire cable flame retardance

### **TECHNICAL SPECIFICATIONS**

kV	0.66
	4 x 6
	0.7
mm	0.3
А	42
Α	54
°C	+70
°C	+80
°C	+160
°C	-50 +50
mm	120
mm	16
kg/km	470
m, t	# 12: 1280 • 0.7
	A A °C °C °C °C mm mm kg/km

Notes:

When ordering it is neccesary to agree the factory length of the product with the manufacturer

\* Long permissible current loads are calculated during operation in four-wire networks with load in all the conductors for the following conditions: air temperature plus 25 °C, soil temperature plus 15 °C, thermal resistivity of soil 1.2 °K  $\cdot$  m/W, laying depth in the soil 0.7 m \*\* The external diameter may differ from the rated up to ± 10 %






7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

## ВКбШв 4х6-0.66 ТУ У 31.3-00214534-057:2007

Power cables with copper conductors, with PVC-compound insulation, galvanized steel-wire armoured, with PVC-compound protection hose



## **CONSTRUCTION**

- 1. Copper conductor
- 2. PVC compound insulation
- 3. PET film winding
- 4. PVC compound belt insulation
- 5. Round galvanized steel-wire armour
- 6. Pressed PVC compound protection hose

Notes:

- It is possible manufacturing of cables in cold-resistant performance (ВКбШв-ХЛ)
  Conductor twisting is not illustrated